

We protect
your health.

Hygiene management // surface disinfection

Disinfecting rooms with COVID-19 patients

You must pay attention to these "hotspots" for surface disinfection:



Surfaces near the patient and surfaces with frequent hand and skin contact

Note: Wipe disinfection at least once daily



Medical devices

Note: Patient-related use and disinfection after use



Digital mobile devices

Note: Do not use in single rooms or cohorts

If medically necessary: Establish further protection and
decontamination procedures

ALL PRODUCTS WITH A PROVEN LIMITED VIRUCIDAL AGENT ARE SUITABLE FOR DISINFECTION TO PROTECT AGAINST COVID-19. THE LIMITED VIRUCIDAL SPECTRUM PLUS AND VIRUCIDAL AGENT ARE STILL EFFECTIVE



Dr. Schumacher

coronavirus.schumacher-online.com
ist ein Service der Dr. Schumacher GmbH

Dr. Schumacher GmbH
Am Roggenfeld 3
34323 Malsfeld

Postanschrift:
Postfach 11 62
34201 Melsungen

T +49 5664 9496-0
F +49 5664 8444
info@schumacher-online.com
www.schumacher-online.com

Sources:

Robert Koch-Institut (RKI). Empfehlungen des RKI zu Hygienemaßnahmen im Rahmen der Behandlung und Pflege von Patienten mit einer Infektion durch SARS-CoV-2. Stand 1.4.2020. https://www.rki.de/DE/Content/InfAZ/N/Neuartiges_Coronavirus/Hygiene.html?nn=13490888. Letzter Zugriff 05.04.2020

Healthcare Associated Infection and Antimicrobial Resistance and Prescribing Programme (HARP). Public Health Wales. Standards for Infection Prevention & Control in the Use of Mobile Devices (MD) in Healthcare. Final Approved 14.01.2020. <https://phw.nhs.wales/services-and-teams/harp/infection-prevention-and-control/guidance/standards-for-infection-prevention-control-in-the-use-of-mobile-devices-md-in-healthcare/>. Letzter Zugriff 05.04.2020