

2.

Carry out hygienic hand disinfection before putting on disposable medical gloves.



1.

Wipe down work surfaces with disinfectant wipes before commencing aseptic work, e.g. preparation of syringes etc.



3.

Check the injection site: It must be free of inflammatory skin lesions.



4.

Spray the injection site with skin disinfectant.



5.

Wipe the injection site with a sterile swab.



Vaccination

Hygienically correct vaccination procedure.

6.

Spray the injection site again generously, and do not rub dry.



7.

Observe the exposure times specified in the manufacturer's instructions (at least 15 sec.).



8.

After disinfecting the skin, do not touch the injection site.



11.

Disinfect your hands after removing the disposable gloves.



10.

After administering the vaccination, dress the injection site with a sterile wound dressing.



9.

Insert the injection cannula and slowly inject the vaccine.



Checklist

Hand disinfectant



Skin disinfectant



Disposable gloves



Vial



Syringe with cannula



Sterile swabs



Wound dressing



Pre-impregnated disposable disinfectant wipes



Dr. Schumacher GmbH

Am Roggenfeld 3 / 34323 Malsfeld / Germany

T +49 5664 9496-0 / F +49 5664 8444

internationalsales@schumacher-online.com

www.schumacher-online.com

Sources:

1. Anforderungen an die Hygiene bei Punktionsen und Injektionen. Empfehlung der Kommission für Krankenhaushygiene und Infektionsprävention beim Robert Koch-Institut (RKI). Bundesgesundheitsbl. 2011 · 54:1135–1144.

2. Arbeitshilfe der Bundesapothekerkammer zur Qualitätssicherung. Formblatt Hygieneplan für die Durchführung der Gripeschutzimpfung in der öffentlichen Apotheke. Stand des Entwurfs: 02.03.2020.



Dr. Schumacher